

Volvo Single Drum Compactors 11.7-11.8 t / 26,000 lb 110 kW 148hp



Volvo Construction Equipment

# A passion for performance

At Volvo Construction Equipment, we're not just coming along for the ride. Developing products and services that raise productivity – we are confident we can lower costs and increase profits for industry experts. Part of the Volvo Group, we are passionate about innovative solutions to help you work smarter – not harder.

### Helping you to do more.

Doing more with less is a trademark of Volvo Construction Equipment. High productivity has long been married to low energy consumption, ease of use and durability. When it comes to lowering life-cycle costs, Volvo is in a class of its own.

## Designed to fit your needs.

There is a lot riding on creating solutions that are suited to the particular needs of different industry applications. Innovation often involves high technology – but it doesn't always have to. Some of our best ideas have been simple, based on a clear and deep understanding of our customers' working lives.



# You learn a lot in 180 years.

Over the years, Volvo has advanced solutions that have revolutionized the use of construction equipment. No other name speaks Safety louder than Volvo. Protecting operators, those around them and minimizing our environmental impact are traditional values that continue to shape our product design philosophy.

#### We're on your side.

We back the Volvo brand with the best people. Volvo is truly a global enterprise, one that is on standby to support customers quickly and efficiently – wherever they are.

# We have a passion for performance.














Volvo Trucks

Renault Trucks



VOLNO























Volvo Penta

Volvo Financial Services

UD Trucks

Volvo Buses



# Versatile performance

The new Volvo soil compactor SD115B is packed with advanced technology. The drum is configured with ease while the engine controls itself. The compactors adapt to your application and jobsite to provide maximum versatility and performance.

#### Frequency and amplitude choices

Easily adjust the vibration frequency from the operator console to compensate for changing soil types and conditions. Two frequency settings are standard and for even greater versatility, five frequency option is available. High and low amplitudes can also be selected.

#### Adaptive power

Adaptive power tailors machine performance by adjusting engine and hydraulic systems to individual job site requirements, providing the exact amount of power needed for increased efficiency. It's designed to run the machine at the optimal level needed for the job.





#### Application versatility

The machine can be set up in three different configurations and is available with smooth or padfoot drum. The compactor is quickly and easily converted from a smooth drum by clamping on a padfoot shell. The padfoot shell kit allows the machine to work in different applications and increases versatility.



#### Gradeability

The Volvo traction system provides excellent climbing and traction capabilities in difficult applications, such as steep inclines or slippery surfaces. The system prevents wheel or drum spin, improving gradeability, performance and productivity. For the most demanding applications, the High Traction variant is also available, delivering additional torque a



VOLVO

# Drum performance

Volvo's advanced drum control system delivers multiple frequencies, dual amplitude, and optimised centrifugal force – matching the drum's performance to your application. The choice of high or low amplitude is easily selected, giving you the flexibility to adjust the drum's dynamic force based on the job and material depth. The auto vibration feature also increases ease of operation and productivity.

OLVO

Volvo engine

6

0

SD115B

H

Volvo's premium Tier 3 engine delivers high torque at low rpm for superior performance and low fuel consumption. Designed to lower emissions and increase efficiency without compromising power.

anale and

# Power up, fuel down

The perfectly optimised Volvo Tier 3 engine delivers high torque at low rpm for superior performance and low fuel consumption. The compactor's engine has been developed to offer greater fuel efficiency, increasing uptime and reducing costs.



# ECO mode

ECO mode is now standard and always on by default. It adjusts the engine speed to match the operation mode and up to a 40% reduction in fuel consumption is achieved with ECO mode.

#### Efficient cooling system

The hydraulically-driven fan with variable speed draws power only when needed. Lower fan speeds reduce noise, resulting in greater operator comfort and a lower total cost of ownership.



#### Eccentric design

The eccentric design delivers more efficiency while using less power. Matching the required performance to suit your application, the eccentric is designed for faster ramp up speeds at lower pressure for increased fuel efficiency.

# **Packed with intelligence**



# **Operator Environment**

The ROPS/FOPS certified cab provides a safe and comfortable working environment with all-around visibility.

#### ECO mode

ECO mode can be selected by the operator. This feature adjusts the engine speed to match the operation mode.



## High quality components

The compactor features the highest quality components, clever routing and clean design.



The heavy-duty drum, center joint and front frame components are designed and manufactured with durability in mind.

#### **Compact Assist**

Achieve optimum compaction results, with less effort, thanks to the suite of Compact Assist apps - all powered by the 10" Volvo Co-Pilot touchscreen.



VOLVO

# Engine

Volvo's premium Tier 3 engine delivers high torque at low rpm for superior performance and low fuel consumption. Designed to lower emissions and increase efficiency without compromising on power.



The electric engine hood lifts up giving extensive ground level access to the engine compartment.

#### Gradeability

The Volvo traction system provides excellent climbing and traction capabilities in difficult applications. For the most demanding applications, the High Traction variant is also available.

#### Drum performance


Volvo's advanced drum control system delivers multiple frequencies, dual amplitude, and optimised centrifugal force.

# **Control in comfort**

Step up to the Volvo designed cab and experience industry-leading low noise levels, ultimate comfort and a productive working environment. Safe, spacious and with improved all-around visibility, operators will work efficiently with less fatigue in a Volvo compactor.

#### **Operator Environment**

The ROPS/FOPS certified cab provides a safe and comfortable working environment with an efficient heating and air conditioning system and all-around visibility. With floor to ceiling cab glass, the operator has an excellent forward drum view as well as superior front and rear visibility.



#### Climate control system

The cab is equipped with industry-leading climate control to ensure a comfortable environment inside the cab, whether heating or air conditioning is required. High air intake and positive cabin pressure helps to reduce dust from entering the cab.

#### Fully adjustable seat

The fully adjustable seat now rotates and slides to enhance front and rear visibility for increased safety and comfort.









# High quality components

The compactor features the highest quality components, clever routing and clean design. The engine, hydraulics and electronic components work in harmony to deliver superior performance and increase machine life.

VOLVO

OLVO

# **Robust and reliable**

Volvo Construction Equipment produces the most robust and durable compactors on the market. The SD115B machine provides easy service access for increased uptime and quick maintenance.

### Service Access

The cab tilt is standard, providing access to all hydraulic components. For class-leading access, the electric engine hood lifts up giving extensive ground level access to the engine compartment. Maintenance and inspections can be conducted more efficiently with minimal downtime – increasing overall productivity and reliability.







## Sealed electronics

All components and electronics have been moved into the cab and mounted on the rear wall, protecting them from the elements. Fuses are accessible behind the fuse panel for improved accessibility.

# Heavy-duty


The heavy-duty drum, centre joint and front frame components are designed and manufactured with durability in mind. The thick steel drum shell is engineered for longevity and performance. Frames are robotically welded and built from high quality steel with precise and consistent welds guaranteeing a strong structure.

# **Specifications**

Model			SD115B	
Drum type			Smooth	Padfoot
Machine Weights (inc. cat	o & inside scra	aper)		
Operating Weight (CECE)		kg	11 743	11 900
Static Weight @ Drum		kg	6 293	6 450
Static Weight @ Tyres		kg	5 450	5 450
Shipping Weight		kg	11 613	11 770
Drum				
Width		mm	2 134	2 134
Diameter		mm	1 500	1 295
Shell Thickness		mm	25	25
Diameter Over Pad Feet		mm	-	1 550
Pad Feet		number of	-	112
Pad Height		mm	-	127
Pad Tip Area		cm <sup>2</sup>	-	135.3
Vibration				
Frequency		Hz	30.8/33.8	30.8/33.8
Optional 5 Frequency ( High	n Amp )	Hz	23.3 - 30.8	23.3 - 30.8
Centrifugal Force H	ligh Amp	kN	258	258
L	ow Amp	kN	242	242
Nominal Amplitude H	ligh Amp	mm	1.92	1.82
L	ow Amp	mm	1.5	1.42
Propulsion	· · · · · ·			
Туре			Hydro	ostatic
Tires			23.1-26 R3 8PR TT	23.1-26 R1 8PR TL
Drum Drive				
Travel Speed			Flanetary	Gear Box
	ligh	km/h	0-10.1	0-10.0
	-	km/h	0-4.4	0-4.3
	OW	Km/n	0-4.4	0-4.3
Engine Maka / Madal			Valua D	5 Tior 0
Make / Model			Volvo D5 Tier 3	
		kW	Turbocharged 4-cylinder 110	
Rated Power @ 2200 rpm		KVV		10
Electrical System		Volt	0	Δ
Voltage (Negative ground)			24	
Alternator		Ah CCA	120 2 x 1 000	
Batteries Brakes		CUA	2 X I	000
			I hadaa	-1-1'-
Service			Hydrostatic Spring-applied, hydraulically released on drum & axle	
Parking / Secondary			Spring-applied, hydraulical	iy released on drum & axle
Miscellaneous		0		25
Articulation Angle		0	+/-	
Oscillation Angle			+/- 12	
Fuel Capacity		L	130	
Hydraulic Oil Capacity		L	7	
Gradeability (theoretical)		%	65	51.2
Guaranteed Sound Level	11000 0000			
Operator's Ear, acc. to ISO 11203:2009		LpA dB(A)	75 (Cab) - 87 (Canopy)	
External, acc. to Directive 2000/14/EC		LwA dB(A)	105	

# Equipments

DIMENSION	S	SD115B			
	Unit	Smooth drum	Padfoot drum		
A	mm	2 286	2 286		
В	mm	2 134	2 134		
С	mm	2 269	2 288		
D	mm	483	498		
E	mm	3 095	3 095		
F	mm	6 091	6 091		
G	mm	3 000	3 020		
Н	mm	750	774		



## SELECTION OF VOLVO OPTIONAL EQUIPMENT



Work lights





Intelligent compaction

Padfoot drum



Blade



**Traction system** 



Not all products are available in all markets. Under our policy of continuous improvement, we reserve the right to change specifications and design without prior notice. The illustrations do not necessarily show the standard version of the machine.





### Founded in 1974...

CJD Equipment are in the industry for the long term and have the skills and knowledge to support you and your equipment. CJD Equipment takes great pride in being Volvo CE's first and only authorised partner in Australia for three decades. Together, we provide a full range of machinery ideally suited to Australia's unique landscapes and industry requirements. These products are fully supported through a nationwide network of branches, and carefully selected dealers and service agents, strategically positioned to ensure total support.

With fully equipped parts warehouses in every capital city, and dealers throughout major regional towns, we have the support network in place to ensure you're well supported, no matter where you or your machines are. Ongoing in-house training programs ensures our technicians' skills keep pace with the latest technology and product advances.

Visit www.cjd.com.au to read more about our history, range of products and to locate your local branch or dealer.

